

INDEX MAPS.

T. 25N, R. 3W. 2nd Mer.

Meanders 82, 104, 120

	79		79		78		78		78		77	
81	6	104	5	98	4	93	3	88	2	87	1	77
	103		103		98		93		88		86	
81	7	103	8	98	9	93	10	87	11	86	12	76
	103		102		97		92		87		86	
80	18	102	17	97	16	91	15	87	14	85	13	76
	102		101		96		91		83-84		84	
80	19	101	20	96	21	90	22	83	23	84	24	76
	101		100		95		90		83		84-81	
80	30	100	29	95	28	89	27	82	26	85	25	75
	99		99		94		89		82	85		
79	31	99	32	94	33	89	34	82	35		36	75
	75		74		74		73		73		73	

T. 26N, R. 3W. 2nd Mer.

Meanders 149

	126		126		126		125		125		125	
128	6	148	5	148	4	140	3	135	2	131	1	124
	148		148		149		140		134		131	
127	7	147	8	146	9	139	10	134	11	130	12	124
	147		147		146		139		134		130	
127	18	146	17	145	16	138	15	133	14	130	13	124
	145		145		142		138		133		129	
127	19	144	20	142	21	137	22	133	23	129	24	123
	144		144		142		137		132		129	
126	30	144	29	141	28	136	27	132	26	128	25	123
	143		143		141		136		132		128	
126	31	143	32	141	33	135	34	131	35	128	36	123
	123		122		122		121		121		121	

The figures on the lines refer to the page.

121

Township N. 26 North, Range N. 3 West 2. Mer. Ind. a.

Township Lines.

South Boundary. Var. $6^{\circ} 10'$ E.

Bearings at cor. of T. 25 & 26 N, R. 2 & 3 W.

a Bur Oak 40 in. diameter East 24 lbs. dist. 8

an Elm 24 " " " N 42 W 15 " "

West on the S. Boundary of Sec. 36

40.00 set of sec. post from which

a Bur Oak 5 in. diameter N 75 E 9 lbs. dist. 8

a R. Oak 6 " " " N 32 W 18 " "

47.48 a Hickory 18 " "

72.40 a Stream 14 lbs. wide course S E

73.00 enter a Prairie

80.00 set post cor. of sec. 35 & 36 from which

a W. Oak 27 in. diameter S 63 E 430 lbs. dist. 8

a Bur Oak 30 " " " S 73 E 470 " "

No trees on the N. side of the line

Land level & 2 rods, thinly timbered with Oak,
Hickory & no Upr.

West on the S. Boundary of Sec. 35

40.00 set of sec. post (from which no Bearing trees) in
Prairie

58.22 a Bur Oak 36 in. dia.

61.50 leave Prairie

75.25 a W. Oak 23 in. dia.

80.00 set post cor. of sec. 34 & 35 from which

a Hickory 18 in. diameter N 65 E 80 lbs. dist. 8

a W. Oak 22 " " " N 57 W 22 " "

Land level & rich, T. $\frac{3}{4}$ mile dry sweet Prairie,
last $\frac{1}{4}$ mile thinly timbered with Oak. No Upr.

West on the S. Boundary of Sec. 34

22.00 a Hickory 18 in. dia.

40.00 set of sec. post from which

a B. Oak 20 in. diameter N 34 E 13 lbs. dist. 8

a W. Oak 19 " " " N 29 W 42 " "

T. 26 N., R. 3 W. 2. Mer. Ind.^a

Ch. Ck.

67.05 a B. Oak 17 in. dia.

80.00 set post cor. of sec. 33 & 34 from which
a W. Oak 14 in. dia. bears N 24 E 39 lbs. dist. 8

a Do 15 " " " N 16 W 35 " "

Land rolling &irate, timber Oak & Hickory,
no Ulys.

West on the S. Boundary of Sec. 33

9.74 set post on left bank of Tippecanoe R. from which
a Lyncan 30 in. dia. bears S 4 E 21 lbs. dist. 8
a B. Oak 5 " " " N 58 E 34 " "13.50 set post on right bank of Tip. R. from which
a Lyncan 5 in. dia. bears N 26 E 45 lbs. dist. 8
a Plumbush 4 " " " South 10 " "

The post stands opposite a small Island

40.00 set q. sec. post from which

a B. Oak 16 in. dia. bears S 10 E 230 lbs. dist. 8

a W. Oak 30 " " " S 6 W 225 " "

72.40 a Do 14 " "

80.00 set post cor. of sec. 32 & 33 from which

a W. Oak 30 in. dia. bears N 74 W 34 lbs. dist. 8

a B. Oak 15 " " " S 81 W 44 " "

Land a little rolling &rate, some scattering
Oak & Hickory, no Ulys.

West on the S. Boundary of Sec. 32

26.84 a B. Oak 18 in. dia.

40.00 set q. sec. post from which

a W. Oak 19 in. dia. bears N 26 E 88 lbs. dist. 8

a Do 21 " " " N 68 W 58 " "

44.00 a Stream 50 lbs. wide course S 4

50.50 enter Prairie

80.00 set post cor. of sec. 31 & 32 (from which no Bearings)
raised a mound.

Land level rich

T. 26 N., R. 3 W. 2. Mer. Ind. a.
Ch. Lk.

West on the S. Boundary of Sec. 31
40.00 set q. sec. post in Prairie (no Bearing trees)
79.90 Intersect W. Boundary 473 lbs. S. of post - where
raised a Mound
Land level T. Rate Prairie

East Boundary.

North on the E. Boundary of Sec. 36
30.47 a W. Oak 30 in. dia.
40.00 set q. sec. post from which
a W. Oak 20 in. dia. bears S 64° W 39 lbs. dist. 8
a Do 24 " " " N 86° W 39 " "
74.08 a Do 36 " "
80.00 set post cor. of sec. 25 & 36 from which
a R. Oak 27 in. dia. bears S 35° W 46 lbs. dist. 8
a W. Oak 12 " " " N 29° W 123 " "
Land level T. rate, timber Oaks Hickory, Ulys.
Hazel & Sassafras

North on the E. Boundary of Sec. 25

38.50 a Bur Oak 26 in. dia.
40.00 set q. sec. post from which
a Bur Oak 24 in. dia. bears South 58 lbs. dist. 8
a R. Oak 27 " " " N 53° W 53 " "
51.51 a Do 24 " "
70.06 a Do 60 " "
80.00 set post cor. of sec. 24 & 25 from which
a Bur Oak - in. dia. bears S 56° W 115 lbs. dist. 8
a R. Oak - " " " N 67° W 69 " "
Land & the same as last noted

North on the E. Boundary of Sec. 24

35.74 a W. Oak 36 in. dia.
40.00 set q. sec. post from which
a Sugar 21 in. dia. bears S 21° W 109 lbs. dist. 8
a W. Oak 30 " " " N 43° W 102 " "

T. 20 N., R. 37 W. 2. Mer. Ind. ^a

Chs. Lhs.

71.57 a Beech 18 in. dia.

80.00 set post cor. of sec. 13 & 24 from which
 an Elm 24 in. dia. bears S 31° W 76 lbs. dist 23
 a W. Oak 30 " " " N 13° W 57 " "
 Land level 2 rate, thinly timbered with Oak

North on the E. Boundary of Sec. 13

1.00 enter Prairie

40.00 set of sec. post from which
 a W. Oak 24 in. dia. bears N 28° W 121 lbs. dist 23
 leave Prairie (no other Bearing tree)

57.55 a W. Oak 30 in. dia.

80.00 set post cor. of sec. 12 & 13 from which
 a B. Oak 14 in. dia. bears S 15° W 78 lbs. dist 23
 a Do 18 " " " N 40° W 28 " "
 Land level 2 rate, Barrens some scattering Oak

North on the E. Boundary of Sec. 12

21.67 a W. Oak 24 in. dia.

25.30 a Stream 20 lbs. wide course SE

40.00 set of sec. post from which
 a Burr Oak 24 in. dia. bears S 37° W 58 lbs. dist 23
 a W. Oak 30 " " " N 26° W 112 " "

58.86 a Burr Oak 24 " "

80.00 set post cor. of sec. 11 & 12 from which
 a Burr Oak 27 in. dia. bears S 22° W 113 lbs. dist 23
 a W. Oak 30 " " " N 29° W 119 " "
 Land L. the same as on the last mile

North on the E. Boundary of Sec. 1

30.88 a W. Oak 20 in. dia.

40.00 set of sec. post from which
 a W. Oak 21 in. dia. bears South 4 lbs. dist 23
 a Do 24 " " " N 5° W 81 " "

72.62 a Do 24 " "

76.00 to post cor. of T. 20 & 27 N., R. 2 & 3 W. from which

T. 26 N., R. 3 W. 2. Mer. Ind. a.

Chs. 24.

a W. Oak 24 in. dia. bears N 85 E 97 Yds. dist. 3

a Do 15 " " " N 80 W 53 " "

Land level, T. 1/2 mile wet Prairie - 2 1/2 mile Oak

no Ugs: soil 2. rate

North Boundary. Var. 5. 36. E.

West on the S. Boundary of Sec. 36, T. 27 N., R. 3 W.

33.97 a W. Oak 22 in. dia.

40.00 set of sec. part from which

a W. Oak 19 in. dia. bears N 77 E 68 Yds. dist. 3

a Do 18 " " " N 81 W 84 " "

52.00 enters wet Prairie

80.00 set part cor. of sec. 35 & 36 in a Pond, water too deep to raise a Mound

Land level 2. rate, timber Oak, no Ugs.

West on the S. Boundary of Sec. 35, T. 27 N., R. 3 W.

24.00 leave Prairie

28.93 a R. Oak 24 in. dia.

40.00 set of sec. part from which

a W. Oak 13 in. dia. bears N 68 E 42 Yds. dist. 3

a Do 21 " " " N 21 W 6 " "

80.00 set part cor. of sec. 34 & 35 from which

a W. Oak 18 in. dia. bears N 89 W 36 3/4 Yds. dist. 3

a Bur Oak 17 " " " West 247 " "

Land level 2. rate, thinly timbered with Oak

West on the S. Boundary of Sec. 34, T. 27 N., R. 3 W.

32.78 a Lym 24 in. dia.

40.00 set of sec. part from which

a Poplar 30 in. dia. bears N 70 E 37 1/2 Yds. dist. 3

a R. Oak 22 " " " N 44 W 22 " "

46.70 set part on left bank of Tippecanoe R. from which

a Lym 5 in. dia. bears S 71 E 17 Yds. dist. 3

an Elm 6 " " " N 49 E 94 " "

51.30 set part on right bank of Tip. R. from which

T. 26 N., R. 37 W. 2. Mer. Ind. ^a

Chas. G. H.

a B. Oak 10 in. diameter S 28 W 12 Mo. dist. 3

a Do 11 " " " N 6 E 3 " "

80.00 set part cor. of sec. 33 & 34 from which

a W. Oak 30 in. diameter N 18 E 101 Mo. dist. 8

a B. Oak 24 " " " S 7 W 62 " "

Land broken 2. rate Barrens with scattering Oak
Upr. Hickory & Hazel

West on the S. Boundary of Sec. 33, T. 27 N., R. 37 W

23.00 entered Prairie

40.00 set g. sec. part in Prairie (no Bearing trees)

80.00 set part cor. of sec. 32 & 33 & raised a Mound

Land T. rate

West on the S. Boundary of Sec. 32, T. 27 N., R. 37 W

40.00 set g. sec. part, no Bearing trees

80.00 set part cor. of sec. 31 & 32 from which no Bearings
raised a Mound

Land T. rate dry Prairie

West on the S. Boundary of Sec. 31, T. 27 N., R. 37 W

40.00 set g. sec. part in Prairie, no Bearing trees

79.91 Intersect W. Boundary 182 Mo. N. of temp. Township
corner - set part in Mound for cor. of T. 26 & 27
N., R. 3 & 4 W. (No Bearing tree)

Land T. rate dry Prairie

West Boundary. Var. 6° 10' E.

North on the E. Boundary of Sec. 36, T. 26 N., R. 4 W

40.00 set g. sec. part in Prairie, no Bearing trees

80.00 set part cor. of sec. 25 & 36 & raised a Mound
(No Bearing trees) Description omitted.

North on the E. Boundary of Sec. 25, T. 26 N., R. 4 W

40.00 set g. sec. part from which

a Hickory 14 in. diameter N 55 W 128 Mo. dist. 8

T. 26 N., R. 37 W. 2. Mer. Ind.

Chs. Shs.

- a B. Oak 6 in. diameter N 36 E 137 lbs. dnt.
- 42.00 a grove of Oaks & Hickory
- 45.22 a B. Oak 22 in. dia.
- 45.50 enter Prairie
- 80.00 set post cor. of sec. 24 & 25 & raised a Mound
(No Bearing trees)
Land 1st rate

North on the E. Boundary of Sec. 24, T 26 N, R 4 W

- 40.00 set of sec. post in Prairie Barrens from which
a Hickory 20 in. diameter S 47 W 390 lbs. dnt. &
(no other Bearing tree)
- 61.75 a Stream 30 lbs. wide course SE
- 71.00 leave Prairie May 10. 1828
- 80.00 set post cor. of sec. 13 & 24 from which
a Hickory 5 in. diameter S 37 W 80 lbs. dnt. &
a W. Oak 20 " " " N 68 W 46 " "
Almost all 1st rate Prairie & Barrens

North on the E. Boundary of Sec. 13, T 26 N, R 4 W

- 24.97 a W. Oak 19 in. dia.
- 40.00 set of sec. post from which
a W. Oak 22 in. diameter S 28 W 9 lbs. dnt. &
a Hickory 6 " " " N 46 W 53 " "
- 47.85 a B. Oak 36 " "
- 80.00 set post cor. of sec. 12 & 13 from which
a B. Oak 36 in. diameter South 28 W lbs. dnt. &
a Dr 30 " " " S 38 W 165 " "
Land level 1st rate, with some Oak timber

North on the E. Boundary of Sec. 12

- 15.42 a W. Oak 18 in. dia.
- 40.00 set of sec. post from which
a Hickory 18 in. diameter S 56 W 22 lbs. dnt. &
a W. Oak 20 " " " N 54 W 59 " "
- 50.25 enter Prairie

T. 26 N., R. 3 W. 2. Mer. Ind. ?

Chs. Chs.

80.00 set post cn. of sec. 1 & 12, raised a Mound
(No Bearing trees)
Land 1. rate dry Prairie

North on the E. Boundary of Sec. 1, T. 26 N., R. 4 W

40.00 set of sec. post in Prairie (no Bearing trees)

80.00 set temp. Township corner.

Land 1. rate Prairie. May 11. 1828

Surveyed by David Hillis

Dep. Surveyor

Subdivision.

North between Sec. 35 & 36, T. 26 N., R. 3 W

40.00 set of sec. post in Prairie (no Bearing trees)

55.00 leave Prairie

60.32 a Bur Oak 17 in. dia.

76.00 enter Prairie

80.00 set post cn. of sec. 25, 26, 35 & 36 from which
a W. Oak 18 in. dia. bears S 46° 37' W 18

a Bur Oak 27 " " " S 57° 33' W " "

Land level 2. rate, timber Oak, open woods

East on Rauden between Sec. 25 & 36

2.00 a Stream 10 ft. wide course S E

22.00 leave Prairie

40.00 set temp. of sec. post

80.10 Intersect E. Boundary 24 ft. N. of post -

Land level 2. rate, timber Oak, Upr. Sapafrafs

West Connected between Sec. 25 & 36

40.05 set of sec. post at aver. dist. from which

a Bur Oak 20 in. dia. bears N 68° 22' W. dist. 8

an Elm 18 " " " S 75° 21' W " "

80.10 to sec. cn.

North between Sec. 25 & 26

T. 26 N., R. 3 W. 2. Mer. Ind.^a
Chs. Ch.

40.00 set g. sec. post (from which no bearings) in Prairie
80.00 set post cor. of sec. 23, 24, 25 & 26. Raised a Mound
Land level 1st rate

East on Random between Sec. 24 & 25

6.00 leave Prairie

40.00 set temp. g. sec. post

80.00 Intersect E. Boundary 10th N. of post -
Land level & 2nd rate, timber Oak, no Upr.

West Connected between Sec. 24 & 25

40.00 set g. sec. post at aver. dist. from which
a W. Oak 17 in. diameter S 26° W 50th dist. 8
a Do 21 " " " S 71° E 47 " "

80.00 to sec. cor.

North between Sec. 23 & 24

15.00 leave Prairie

22.79 a Bur Oak 34 in. dia.

40.00 set g. sec. post from which
a Bur Oak 24 in. diameter S 44° W 3th dist. 8
a Do 30 " " " N 80° E 100 " "

64.09 an Elm 12 " "

80.00 set post cor. of sec. 13, 14, 23 & 24 from which
a B. Ash 18 in. diameter S 83° E 25th dist. 8
a Bur Oak 23 " " " N 77° W 50 " "
Land & timber the same as before noted

East on Random between Sec. 13 & 24

40.00 set temp. g. sec. post

65.00 enter S. Prairie

80.00 Intersect E. Boundary at post -
Land & the same as last noted.

West Connected between Sec. 13 & 24

40.00 set g. sec. post at aver. dist. from which

T. 26 N., R. 37 W. 2. Mer. Ind. A.

Chs. Chs.

a W. Oak 24 in. diam. N 75 E 47 1/2 lbs. dist. 2 1/2

a Do 30 " " " S 36 W 30 " "

80.00 to sec. cor.

North between Sec. 13 & 14

16.73 a Bur Oak 18 in. dia.

35.19 a W. Oak 16 " "

40.00 set of sec. post from which

a Bur Oak 9 in. diam. S 2 E 74 1/2 lbs. dist. 2 1/2

a Do 14 " " " N 81 W 6 " "

53.77 a W. Oak 24 " "

80.00 set post cor. of sec. 11, 12, 13 & 14 from which

a Red Oak 26 in. diam. S 62 W 13 1/2 lbs. dist. 2 1/2

a W. Oak 18 " " " N 26 W 28 " "

Land level & rate, finely timbered with Oaks & Hickory, no Upr.

East on Random between Sec. 12 & 13

40.00 set temp. of sec. post

58.00 enter S. Prairie

66.00 leave "

80.00 Intersect E. Boundary 27 1/2 lbs. S. of post -

Land & the same as before noted, except the Prairie which is level & rich

West Corrected between Sec. 12 & 13

40.00 set of sec. post from which

a W. Oak 22 in. diam. N 41 E 13 1/2 lbs. dist. 2 1/2

a Do 24 " " " S 6 E 13 " "

80.00 to sec. cor.

North between Sec. 11 & 12

16.77 a Bur Oak 20 in. dia.

40.00 set of sec. post from which

a Bur Oak 24 in. diam. S 43 E 30 1/2 lbs. dist. 2 1/2

a Jack Oak 7 " " " N 26 W 25 " "

T. 26 N., R. 3 W. 2. Mer. Ind.

Ch. 247.

56.77 a Sp. Oak 40 in. dia.

79.50 enter a Prairie

80.00 set post cor. of sec. 1, 2, 11 & 12 from which
a Bur Oak 30 in. dia. bears S 15 E 22 1/2 m. dist.

a Dr 28 " " " S 31 W 66 " "

Land level & 1. rate, timber Sugar, & Walnut
Upr. Hickory & Sassafras

East on Random between Sec. 1 & 12

3.00 leave Prairie

40.00 set temp. g. sec. post

66.00 enter Prairie

74.00 leave "

80.20 Intersect E. Boundary 30 m. E. of post -
Land & the same as last noted

West Connected between Sec. 1 & 12

40.10 set g. sec. post at aver. dist. from which
a Spruce 23 in. dia. bears S 72 E 47 1/2 m. dist.

a Bur Oak 17 " " " N 59 W 20 " "

80.20 to sec. cor.

North between Sec. 1 & 2

40.00 set g. sec. post from which

a W. Oak 24 in. dia. bears S 38 W 47 1/2 m. dist.

a Dr 28 " " " S 80 W 30 " "

77.00 Intersect N. Boundary 92 m. N. of post -
set post at intersection cor. of sec. 1 & 2 & raised a
Mound - And also raised a Mound for cor. of
sec. 35 & 36 T. 27 N., R. 3 W
Land level & 1. rate. October 6. 1828

North between Sec. 34 & 35

12.00 enter Prairie

40.00 set g. sec. post in Prairie (no Bearing trees)

50.00 leave Prairie

T. 20 N., R. 3 W. 2. Mer. Ind^a.

Chm. Lk.

63.50 a Bur Oak 24 in. dia.

65.50 enter barreny Prairie

80.00 set post cor. of sec. 26, 27, 34 & 35 (no Bearings)
Land level & T. rate

East in Random between Sec. 26 & 35

15.00 leave Prairie

40.00 set temp. g. sec. post

41.50 enter Prairie

80.30 Entered N.W. line 50 lbs. N. of post -

Land level, T. rate soil, scattering Oak

West Connected between Sec. 26 & 35

40.15 set g. sec. post at aver. dist. from which
a Hickory 10 in. dia bears S 86° - 104 lbs. dist. S
a Do 10 " " " S 69° - 125 " "

80.30 to sec. cor.

North between Sec. 26 & 27

14.96 a W. Oak 30 in. dia.

40.00 set g. sec. post from which

a W. Oak 28 in. dia bears South 280 lbs. dist. S
a Do 30 " " " S 33 E 224 " "

76.34 a B. Oak 20 " "

80.00 set post cor. of sec. 22, 23, 26 & 27 from which

a W. Oak 24 in. dia bears East 84 lbs. dist. S

a Do 18 " " " N 66° W 155 " "

Land level T. rate Barrens with scattering Oak

East in Random between Sec. 23 & 26

40.00 set temp. g. sec. post

80.20 Entered N.W. line 27 lbs. N. of post -

Land level, timber as last noted

West Connected between Sec. 23 & 26

40.10 set g. sec. post at aver. dist. from which no trees

T. 26 N., R. 39 W. 2. Mer. Ind. a.

Chp. 24.

80.20 to sec. cen.

North between Sec. 22 & 23

40.00 set of sec. post from which

a W. Oak 24 in. diameter S 25 E 50 W. dist. 3

a Do 24 " " " N 23 W 139 " "

77.00 enter S. Prairie

80.00 set post cen. of sec. 14, 15, 22 & 23 from which no
bearing trees - in S. PrairieLand 2nd rate level Barrens with scattering
Oak, no Wgs.

East on Random between Sec. 14 & 23

4.00 leave S. Prairie & enter Barrens

40.00 set temp. of sec. post

40.55 enter timbered land

80.12 Intersect N & S line 20 W. N. of post -

Land level, 1st 1/2 mile 2nd rate, last 1/2 mile 1st
rate, timber Bar Oak

West Corrected between Sec. 14 & 23

40.06 set of sec. post at arci. dist. from which

a W. Oak 18 in. diameter S 59 W 65 W. dist. 3

a Do 20 " " " N 6 E 181 " "

80.12 to sec. cen.

North between Sec. 14 & 15

4.50 leave S. Prairie

34.06 a W. Oak 20 in. dia.

40.00 set of sec. post from which

a W. Oak 30 in. diameter S 49 W 28 W. dist. 3

a W. Oak 20 " " " N 26 E 76 " "

63.47 a Hickory 12 " "

80.00 set post cen. of sec. 10, 11, 14 & 15 from which

a W. Oak 22 in. diameter S 31 E 71 W. dist. 3

a Do 24 " " " N 56 W 27 " "

T. 26 N., R. 3 W. 2. Mer. Ind.

Chs. Ebs.

Land level 2. rate, timbered W. & Bur Oak

East on Random between Sect. 11 & 14

40.00 set temp. g. sec. post

80.00 Intersect N. S. line 10 th. S. of post -

Land level 1. rate, timbered Sugar & Bur Oak,
open woods

West Connected between Sect. 11 & 14

40.00 set g. sec. post at aver. dist. from which

a B. Ash 20 in. diameter S 24 W 10 th. dist. 2,

an Elm 20 " " " N 24 E 17 " "

80.00 to sec. cor.

North between Sect. 10 & 11

15.93 a Hickory 15 in. dia.

34.00 enter S. Prairie

40.00 set g. sec. post from which

a W. Oak 48 in. dia. bears N 70 E 50 th. dist. 2,

a Do 24 " " " N 49 W 48 " "

71.11 a Bur Oak 14 " "

80.00 set post cor. of Sect. 2, 3, 10 & 11 from which

a Bur Oak 24 in. dia. bears S 5 E 51 th. dist. 3

a Do 12 " " " N 56 E 84 " "

Land level 1. rate, timbered W. & Bur Oak, no Upr.

East on Random between Sect. 2 & 11

40.00 set temp. g. sec. post

79.95 Intersect N. S. line 12 th. S. of post -

Land level 1. rate, timbered Ash, Sugar, & Oak
no Upr.

West Connected between Sect. 2 & 11

39.97 1/2 set g. sec. post at aver. dist. from which

a W. Oak 17 in. dia. bears S 23 E 39 th. dist. 2

a Do 20 " " " N 34 W 59 " "

T. 26 N., R. 37 W. 2^d Mer. Ind^a.

Chr. Lk.

79.95 to sec. cor.

North between Sec. 2 & 3

11.00 enter Barrens

30.00 enter S. Prairie

40.00 set of sec. post in Prairie (no Bearing trees)

55.00 leave Prairie

62.44 a W. Oak 24 in. dia.

78.10 Intersect N. Boundary 1400 ft. E. of post -
 set post at intersection cor. of sec. 2 & 3 from which
 a W. Oak 20 in. dia. bears N 88 E 289 ft. dist. 8
 a Do 14 " " " S 73 E 250 " " "
 Land level & fertile, timber Oak, no W. Lk.

North between Sec. 33 & 34

17.50 enter Prairie

27.50 set post on left bank of Tippecanoe R. from which
no trees for Bearings.

30.80 set post on right bank of Tip. R. from which
 a Syc. 6 in. dia. bears S 41 W 16 ft. dist. 8
 a Black Oak 16 " " " N 76 E 24 " " "

40.00 set of sec. post from which
 a W. Oak 22 in. dia. bears South 50 ft. dist. 8
 an Elm 14 " " " N 57 E 11 " " "

49.19 asp. Oak 20 " "

51.00 enter Prairie

56.19 set post on right bank of Tip. R. from which
 a Sycamore 3 in. dia. bears N 17 W 50 ft. dist.
 no other tree near

66.00 set post on left bank of Tip. R. from which
 a W. Oak 15 in. dia. bears S 51 E 49 ft. dist. 8
 a Do 18 " " " N 6 E 55 " " "

80.00 set post cor. of sec. 27, 28, 33 & 34 from which
 a W. Oak 28 in. dia. bears S 61 E 4 ft. dist. 8
 a Do 18 " " " N 47 W 50 " " "

Land rolling & fertile, timber Walnut & Elm

T. 26 N., R. 3 W. 2. Mer. Ind.^a
Ch. Lr.

Upr. Redbud, Hazel, grapevine

East on Random between Sects 27 & 34

35.00 enter Barrens

40.00 set temp. gr. sec. post

80.16 Intersect N. & S. line 112 hrs. N. of post -

Sand level 2. rate, timber Oak, no underbrush

West Correlated between Sect. 27 & 34

40.08 set gr. sec. post at aver. dirt. from which

a W. Oak 24 in. diam bears N 88 W 119 hrs. dirt 2

a Do 24 " " " S 78 W 147 " "

80.16 to sec. cor.

North between Sect. 27 & 28

27.81 a W. Oak 16 in. dia.

32.46 set post on left bank of Tippecanoe R. from which

a Buckeye 24 in. dia bears N 72 E 91 hrs. dirt 2

a B. Walnut 4 " " " N 80 E 73 " "

40.00 set gr. sec. post from which

a W. Oak 15 in. diam bears North 145 hrs. dirt 2

a B. Oak 6 " " " N 18 W 75 " "

the gr. sec. post stands on right bank of Tip. R.

62.50 a B. Oak 24 in. dia.

65.78 set post on right bank of Tip. R. from which

a W. Oak 7 in. diam bears S 41 W 17 hrs. dirt 2

a Sassafras 4 " " " N 71 E 10 " "

70.31 set post on left bank of Tip. R. from which

a B. Walnut 20 in. diam bears S 39 W 15 hrs. dirt 2

a Sassafras 3 " " " S 81 E 12 " "

80.00 set post cor. of sect. 21, 22, 27 & 28 from which

a W. Oak 18 in. diam bears S 30 E 52 hrs. dirt 2

a B. Oak 18 " " " N 46 W 17 " "

Land broken T. rate, timber Oak, Elm & Walnut, Upr. Redbud, Hickory &c.

T. 26 N., R. 3 W. 2. Mer. Ind. a.

Chs. Sh.

East in Random between Sec. 22 & 27

28.33 set temp. post on left bank of Tippecanoe R.

33.50 " " " " right " " do

40.00 set temp. g. sec. post

49.83 set " post on right bank of Tip. R.

54.95 " " " " left " " do

80.00 Interest N. & S. line 74 M. N. of post -

Saw a little broken T. rat, timber Walnut,
Syc. & Oak, Upr. Oak & Hickory

West. Corrected between Sec. 22 & 27

25.05 set post on left bank of Tip. R. from which
a P. Oak 8 in. diameter NW 66 M. dist. 8
a Do 4 " " " S 52 E 21 " "30.17 set post on right bank of Tip. R. from which
a Sapapap 3 in. diameter NW 11 M. dist. 8
a Do 3 " " " S 60 W 7 " "40.00 set g. sec. post at aver. dist. from which
a W. Oak 17 in. diameter S 84 W 32 M. dist. 8
a Do 14 " " " S 77 E 13 " "47.72 set post on right bank of Tip. R. from which
a P. Oak 18 in. diameter NW 77 1/2 M. dist. 8
a W. Oak 3 " " " S 15 E 14 " "52.89 set post on left bank of Tip. R. from which
a Sapapap 3 in. diameter NW 57 1/2 M. dist. 8
a Do 3 " " " N 48 W 20 " "

80.00 to sec. cor.

North between Sec. 21 & 22

10.00 _____ Oct. 8. 1828

21.85 set post on left bank of Tip. R. from which
a Cedar 18 in. diameter S 35 W 10 M. dist. 8
a Syc 10 " " " S 15 E 15 " "28.64 set post on right bank of Tip. R. from which
a Sycamore 6 in. diameter N 25 E 31 M. dist. 8
a Jack Oak 12 " " " S 80 W 42 " "

T. 26 N., R. 3 W. 2. Mer. Ind.^h
Chs. Lhs.

40.00 set g. sec. post from which
a B. Oak 12 in. dia. bears S 85° W 9 lbs. dist 2
a Do 15 " " " N 48° 46 " "

49.93 ~~set post on~~ a Hickory 12 in. dia.

60.46 set post on right bank of Tip. R. from which
a Willow 3 in. dia. bears S 18° W 31 lbs. dist 2
a Do 2 " " " South 30 " "

80.00 set post on g. sec. 15, 16, 21 & 22 in the River.
This line runs 19.54 Chs. in the river.
(Description of land &c. omitted)

East on Random between Sec. 15 & 22

2.25 to left bank of Tippecanoe River
30.00 enter Prairie

40.00 set temp. g. sec. post

45.50 leave Prairie

80.12 Intersect N. G. line 83 lbs. N. of post -
Land level & rate, timber Oak, no Wgs.

West Connected between Sec. 15 & 22

40.00 set g. sec. post at aven. dist. from which no
bearing trees.

78.75 set post on left bank of Tippecanoe R. from which
a Sycamore 6 in. dia. bears N 87° E 5 lbs. dist.
no other trees

80.12 to sec. cor.

North between Sec. 15 & 16

10.75 set post on left bank of Tip. R. from which
a W. Oak 20 in. dia. bears N 53° E 3 lbs. dist 2
a Do 20 " " " N 18° W 49 " "

24.5 The line runs in the river from the last cor.

24.82 a Sp. Oak 22 in. dia.

40.00 set g. sec. post from which
a Bur Oak 9 in. dia. bears S 88° E 19 lbs. dist 2
a Do 18 " " " North 3 " "

T. 26 N., R. 37 W. 2. Mer. Ind. a.
Chs. Chs.

53.09 a W. Oak 18 in. dia.

80.00 set post cen. of sec. 9, 10, 15 & 16 from which
a Coffeenut 7 in. dia. bears S 11 E 42 Ms. dist. 3

a Sugar 24 " " " N 127 W 32 " "

Land within T. rate, timber Oak, Buckeye &
Sugar - Upr. Hickory, Redbud & Hazel

East on Random between Sec. 10 & 15

30.00 enter S. Prairie

40.00 set temp. g. sec. post

46.00 leave Prairie

80.20 Intersect N. G. line 97 Ms. N. of post -

Land level 2. rate, timber Oak, no Upr.

West Connected between Sec. 10 & 15

40.10 set g. sec. post at aver. dist. from which

a W. Oak 30 in. dia. bears N 54 W 97 Ms. dist.

no other trees

80.20 to sec. cen.

North between Sec. 9 & 10

13.21 a W. Oak 30 in. dia.

24.30 set post on left bank of Tippecanoe R. from which

a R. Oak 18 in. dia. bears N 65 E 27 Ms. dist. 3

a Hickory 14 " " " S 82 W 25 " "

29.63 set post on right bank of Tip. R. from which

a B. Walnut 7 in. dia. bears N 74 W 29 Ms. dist. 3

a Mulberry 6 " " " N 17 E 25 " "

34.76 a W. Oak 15 " "

40.00 set g. sec. post from which

a W. Oak 30 in. dia. bears N 50 E 19 Ms. dist. 3

a Do 26 " " " N 80 W 25 " "

56.22 a Do 22 " "

66.47 set post on right bank of Tip. R. from which

a Cedar 14 in. dia. bears S 4 E 25 Ms. dist. 3

a Do 4 " " " S 35 E 47 " "

T 26 N., R. 37 W. 2. Mer. Ind.^a
Chr. Lps.

70.72 set post on left bank of Tip. R. from which
a Lycamore 10 in. dia bears S 39 E 39 lbs. dist 28
a B. Ash 4 " " " N 26 W 50 " "

80.00 set post cor. of sec. 3, 4 & 10 from which
a Lym 20 in. dia bears S 20 E 7 lbs. dist 28
a S. Ash 21 " " " S 52 W 25 " "
Land withing T. rate, timber Oak, Ash & Lym
Upr. Grapewine & Hickory

East on Random between Sec. 3 & 10

40.00 set temp. q. sec. post

80.28 Intersect N. S. line 64 lbs. N. of post -
Land level T. rate, timber Oak, no Upr.

West Connected between Sec. 3 & 10

40.14 set q. sec. post at aver. dist from which
a Hickory 18 in. dia bears S 80 E 9 lbs. dist 28
a B. Oak 33 " " " N 62 W 32 " "

80.28 to sec. cor.

North between Sec. 3 & 4

22.36 a W. Oak 20 in. dia.

34.35 set post on left bank of Tip. R. from which
a W. Oak 18 in. dia bears S 9 E 25 lbs. dist 28
a R. Oak 24 " " " S 35 E 14 " "

40.00 set q. sec. post in River

46.50 set post on right bank of Tip. R. from which
a R. Oak 24 in. dia bears N 15 W 31 lbs. dist 28
a Do 24 " " " N 74 W 42 " "

62.17 a W. Oak 20 " "

80.11 Intersect N. Boundary 65 lbs. E. of post -
set post at intersection cor. of sec. 3 & 4 from which
a R. Oak 28 in. dia bears N 21 W 100 lbs. dist 28
a W. Oak 33 " " " S 48 W 97 " "
Land broken T. rate, timber Oak, no Upr.
October 9, 1828

T. 26 N., R. 3 W. 2. Mer. Ind. a
Chs. Sh.

North between Sec. 32 & 33

31.47 a W. Oak 23 in. dia.

40.00 set q. sec. post from which

a B. Oak 24 in. dia. bears North 95 W. dist. 8

a Do 30 " " " N 37 E 105 " "

80.00 set post cor. of sec. 28, 29, 32 & 33 from which

a B. Oak 24 in. dia. bears S 2 E 35 W. dist. 8

a Hickory 20 " " " N 29 W 58 " "

Sand level 2 rods. Barrens with scattering Oak
 & Hickory. No Wgs.

East in Random between Sec. 28 & 33

40.00 set temp. q. sec. post

64.50 to right bank of Tippecanoe River

69.50 to left " " Do

80.10 Intersect N. & S. line 56 W. S. of post -

Sand &c. the same as on the last mile

West Connected between Sec. 28 & 33

9.70 set post on left bank of Tip. R. from which

a Sycamore 6 in. dia. bears S 67 E 14 W. dist. 8

a B. Walnut 18 " " " N 32 E 25 " "

14.70 set post on right bank of Tip. R. from which

an Ironwood 8 in. dia. bears N 30 W 22 W. dist. 8

a Do 4 " " " S 29 W 25 " "

40.05 set q. sec. post from which

a B. Oak 18 in. dia. bears N 39 W 19 W. dist. 8

a W. Oak 8 " " " S 22 E 75 " "

80.10 to Sec. cor.

North between Sec. 28 & 29

25.00 a Hickory 8 in. dia.

40.00 set q. sec. post from which

a Hickory 12 in. dia. bears N 70 E 184 W. dist. 8

a Do 8 " " " N 89 E 186 " "

56.50 a Do 10 " "

T. 26 N., R. 3 W. 2. Mer. Ind. a
Chr. Chr.

80.00 set port. cr. of sec. 20, 21, 28 & 29 from which
a W. Oak 30 in. diameter N 89 E 56 lbs. dirt & s
a Do 28 " " " N 64 W 100 " " s
Sand level T. rate, Barrens with scattering
Oak & Hickory, no Upr.

East on Random between Sec. 21 & 28

46.00 set temp. g. sec. port
50.00 right bank of Tippecanoe River
55.00 left " " Do
80.28 intersect N. E. line 30 lbs. S. of port -
Sand withing T. rate, timber Oak & Hickory,
Upr. Hazel & Grapevine

West Corrected between Sec. 21 & 28

25.00 set port on left bank of Tip. R. from which
a Lycamore 8 in. diameter S 54 W 14 lbs. dirt & s
a Do 8 " " " N 85 W 11 " " s
30.00 set port on right bank of Tip. R. from which
a Poplar 18 in. diameter S 33 W 21 lbs. dirt & s
an Ironwood 4 " " " S 25 W 26 " " s
40.14 set g. sec. port from which
a W. Oak 24 in. diameter N 65 E 96 lbs. dirt & s
a Do 20 " " " N E 98 " " s
80.28 to sec. cr.

North between Sec. 20 & 21

5.00 enter Prairie
40.00 set g. sec. port in Prairie (no Bearing trees)
80.00 set port cr. of sec. 16, 17, 20 & 21 & raised a Mound
Sand level T. rate dry Prairie.

East on Random between Sec. 16 & 21

25.00 leave Prairie
40.00 set temp. g. sec. port
60.00 enter a Prairie

T. 26 N., R. 3 W. 2. Mer. Ind.

Chas. M.

78.67 to right bank of Tippecanoe River

80.32 Intersect N & S. line 25 lbs. S. of port -

Land 1st rate, timber Oak, Buckeye & Walnut
no Wye.

West Corrected between Sec. 16 & 21

1.05 set port on right bank of Tip. R. from which no
bearing trees40.16 set q. sec. port at aver. dist. from which
a B. Ash 17 in. diameter South 17 lbs. dist. 8
a Bur Oak 24 " " N 37 W 7 " "

80.32 to sec. cor. October 10. 1828

North between Sec. 31 & 32

40.00 set q. sec. port in Prairie (no bearing trees)

80.00 set port on q. sec. 29, 30, 31 & 32 & raised a mound
(No bearing trees) Land 1st rate Prairie

East on Random between Sec. 29 & 32

30.04 a stream 25 lbs. wide crosses S. & leave Prairie

40.00 set temp. q. sec. port

52.35 enter a Prairie

80.12 Intersect N & S. line at port -

Land level & 1st rate

West Corrected between Sec. 29 & 32

40.06 set q. sec. port at aver. dist. from which

a B. Oak 30 in. diameter S 19 W 63 lbs. dist. 8

a Do 24 " " N 23 E 77 " "

80.12 to sec. cor.

West between Sec. 30 & 31

40.00 set q. sec. port in Prairie (no bearing trees)

81.00 Intersect W. Boundary at port -

Land 1st rate dry Prairie

T. 26 N., R. 3 W. 2. Mer. Ind. ^a

Chs. Lk?

North between Sec. 29 & 30

20.00 enter Barrens

35.00 " S. Prairie

40.00 set gr. sec. post in S. Prairie (no Bearing trees)

45.00 enter Barrens

76.31 a W. Oak 36 in. dia.

80.00 set post cr. of sec. 19, 20, 29 & 30 from which
a Hickory 5 in. dia. bears N 22 E 117 lbs. dist. 8

a Do 4 " " " N 8 E 141 " "

Land level 2. rate, some scattering Oaks Hick-
ory, no Upr.

East in Raudon between Sec. 28 & 29

30.58 a Stream 40 lbs. wide came S.

40.00 set temp. gr. sec. post

79.96 Intersect N. S. line 13 lbs. S. of post -

Level 2. rate Barrens with scattering Oaks
Hickory, no Upr.

West Connected between Sec. 20 & 29

39.98 set gr. sec. post at aver. dist. from which

a B. Oak 26 in. dia. bears S 41 E 54 lbs. dist. 8

a W. Oak 20 " " " N 89 W 65 " "

79.96 to sec. cr.

West between Sec. 19 & 30

29.50 enter Prairie

40.00 set gr. sec. post in Prairie (no Bearing trees)

81.64 Intersect W. Boundary 53 lbs. S. of post -

set post at intersection cr. of sec. 19 & 30 and
raised a Mound

Land T. rate Prairie

North between Sec. 19 & 20

20.97 a W. Oak 27 in. dia.

34.00 a Stream 19 lbs. wide came SE

T. 26 N., R. 3 W. 2. Mer. Ind. a.

Ch. Ch.

- 40.00 set of sec. port from which
 a B. Oak 27 in. diameter S 45° W 48 lbs. dirt &
 a W. Oak 24 " " " N 35° W 68 " "
 51.00 enter S. Prairie
 80.00 set port on. of sec. 17, 18, 19 & 20 from which no
 bearing trees - raised a Mound.
 Level 2nd rate timbered land, Prairie rich

East on Random between Sec. 17 & 20

- 7.50 leave Prairie
 40.00 set temp. of sec. port
 48.50 enter Prairie
 79.86 Intersect N. G. line 30 lbs. S. of port -
 Land level 1st rate Prairie, the groves 2nd
 rate, timber Oak,

West Connected between Sec. 17 & 20

- 39.93 set of sec. port at aver. dirt. from which
 a B. Oak 25 in. diameter S 45° W 30 lbs. dirt &
 a Hickory 12 " " " S 27° E 65 " "
 79.86 to sec. cor.

West between Sec. 18 & 19

- 30.50 leave Prairie
 31.89 a W. Oak 24 in. dia.
 40.00 set of sec. port from which
 a W. Oak 21 in. dia. bears N 87° E 58 lbs. dirt &
 a Do 21 " " " N 20° E 3 " "
 69.41 a Do 30 " "
 81.50 Intersect N. Boundary 200 lbs. S. of port -
 set port at intersection on off sec. 18 & 19 from which
 a Jack Oak 7 in. diameter N 6° W 94 lbs. dirt &
 a Bur Oak 24 " " " S 9° W 209 " "
 Land level & 2nd rate, timber Oak, no Upr.

North between Sec. 16 & 17

T. 20 N., R. 3 W. 2. Mer. Ind.^a

Chr. Chr.

40.00 set g. sec. post in Prairie (no Bearing trees)
 80.00 set post cor. of sec. 8, 9, 16 & 17 & raised a
 Mound — Land 1st rate Prairie

East in Random between Sec. 9 & 16

40.00 set temp. g. sec. post

41.00 leave Prairie

64.25 to right bank of Tip. R. from which

69.43 to left " " Do

80.15 Intersect N & S line 19 th. S. of post —

Land a little broken T. rate, timber Walnut,
 Sugar & Oak — Upr. Spice & Hazel

West Connected between Sec. 9 & 16

10.72 set post on left bank of Tip. R. from which
 a B. Walnut 12 in. dia bears East 19 th. dist. 8

" Do 11 " " " S 15 E 5 " "

15.40 set post on right bank of Tip. R. from which

a B. Oak 21 in. dia bears S 32 W 21 th. dist. 28

" Do 4 " " " N 69 W 7 " "

40.07 1/2 set g. sec. post at aver. dist from which

a B. Oak 5 in. dia bears S 89 E 95 th. dist. 8

" Do 8 " " " N 81 E 119 " "

80.15 to sec. cor. October 11. 1828

North between Sec. 8 & 9

40.00 set g. sec. post in Prairie (no Bearing trees)

80.00 set post cor. of sec. 4, 5, 8 & 9 & raised a Mound
 (No Bearing trees) Land T. rate Prairie

North between Sec. 17 & 18

5.37 leave Prairie

30.88 a Hickory 8 in. dia.

40.00 set g. sec. post from which

a Hickory 5 in. dia bears S 28 W 70 th. dist. 8

a B. Oak 4 " " " N 27 E 54 " "

T. 26 N., R. 34 W. S. Mer. Ind.?

Chs. Sh.

55.90 a W. Oak 24 in. dia.

59.50 enter Prairie

80.00 set port cn. of sec. 7, 8, 17 & 18 from which no Bearings
raised a Mound - in Prairie

Land 2. rate, timber Oak, open woods. Prairie rich.

East in Random between Sec. 8 & 17

7.50 a grove of Oak & Hickory

19.00 enter Prairie

40.00 set temp. of sec. port

79.89 Intersect N. S. line 20 hrs. S. of port -

Land level & 1. rate, timber as before noted

West Connected between Sec. 8 & 17

39.94 set of sec. port at area. dirt. no Bearing trees

79.89 to sec. cn.

West between Sec. 7 & 18

14.50 leave Prairie

16.20 a B. Oak 22 in. dia.

31.50 enter Prairie

40.00 set of sec. port in Prairie (no Bearing trees)

62.50 leave Prairie

69.78 a W. Oak 24 in. dia.

80.52 Intersect N. B. boundary 100 hrs. S. of port -

set port cn. of sec. 7 & 18 from which

a B. Oak 34 in. dia. bears South 50 hrs. dirt &

a W. Oak 30 " " " N 55° W 40 " "

Land level 2. rate, timber Oak & Hickory
no Upr.

North between Sec. 7 & 8

8.00 leave Prairie

21.20 a B. Oak 24 in. dia.

40.00 set of sec. port from which

a B. Oak 30 in. dia. bears S 71° W 26 hrs. dirt &

T. 26 N., R. 3 W. 2. Mer. Ind. ^a
Chr. Chr.

a B. Oak 24 in. dia. bears S 38 E 31 th. dist.

48.00 enter a Prairie

80.00 set post cor. of sec. 5, 6, 7 & 8 from which no Bear-
ings raised a Mound
Land T. State, scattering Oak, Upr. Hazel &
B. Hawth

West between Sec. 6 & 7

40.00 set g. sec. post in Prairie (no Bearing trees)

80.00 Intersect N. Boundary 167 th. S. of post -
set post at intersection cor. of sec. 6 & 7 & raised a Mound
(No Bearing trees) Land T. State Prairie

North between Sec. 5 & 6

40.00 set g. sec. post in Prairie (no Bearing trees)

81.50 Intersect N. Boundary 200 th. W. of post -
set post at intersection cor. of sec. 5 & 6, raised a
Mound (No Bearing trees)
Land T. State Prairie

East in Random between Sec. 5 & 8

40.00 set temp. g. sec. post in Prairie

80.10 Intersect N. S. line at post -
Land T. State Prairie

West Corrected between Sec. 5 & 8

40.05 set g. sec. post at aver. dist. in Prairie
(No Bearing trees)

80.10 to sec. cor.

North between Sec. 4 & 5

40.00 set g. sec. post in Prairie (no Bearing trees)

81.27 Intersect N. Boundary 82 th. W. of post -
set post at intersection cor. of sec. 4 & 5
(Neither Bearing trees or Mound mentioned)
Land T. State Prairie

T. 26 N., R. 3 W. 2. Mer. Ind. a.

Chs. Lhs.

East on Random between Sec. 4 & 9

40.00 set temp. g. sec. post in Prairie

65.00 leave Prairie October 12. 1828

69.00 to right bank of Tippecanoe River

72.00 to left " " Do

80.00 Intersect N. & S. line of Chs. N. of post -

First rate Prairie, timbered with Walnut &
Sycamore, no Uls.

West Connected between Sec. 4 & 9

7.87 set post on left bank of Tip. R. from which
a B. Oak 10 in. diameter S 70 E 26 Chs. dist. 3

a Do 24 " " " N 28 E 31 " "

11.00 set post on right bank of Tip. R. from which

a B. Oak 21 in. diameter N 76 W 71 Chs. dist.
no other trees40.00 set g. sec. post at aver. dist. in Prairie
(no bearing trees)

80.00 to sec. cor. October 13. 1828

This Township was commenced on the 6th of
October 1828 and finished on the 13th of same
month.Meanders of Tippecanoe River. Commencing
at post in S. Boundary and on right bank of
river, thence same bank up stream:

Chs.	Dist.	Remarks.
N 11 W	1.57	In Sec. 33
N 9 W	1.50	
N 5 E	8.25	
N 23 E	12.45	
N 28 E	4.80	
N 51 E	4.50	
N 66 E	2.21	

T. 26 N., R. 3 W. 2. Mer. Ind.

Courses (Ch. Ch.)

Remarks

N68E 2.21 to port in line between Sec. 33 & 34

N65E 2.28 In Sec. 34

N39E 3.06

N11E 2.14

N29W 4.43

N109W 2.61

N239W 4.41

N139W 9.19

N32W 0.39 to port in line between Sec. 33 & 34

N32W 8.50 In Sec. 33

N37W 2.69

N48W 7.00

N35W 7.46

N22W 6.12 to port in line between Sec. 28 & 33

N7W 7.65 In Sec. 28

N4E 9.33

N24E 4.00

N32E 16.18

N45E 5.41

N57E 3.12

N51E 1.87 to port in line between Sec. 27 & 28

N65E 7.48 In Sec. 27

N77E 11.61

N69E 6.11

N46E 1.50 lower end of Island Sec.

N46E 2.83

N63E 4.36 upper end of Island

N70E 5.25

N46E 3.50

N33E 6.96

N22E 1.89

N31E 4.95

T. 26 N., R. 3 W. 2^d Mer. Ind^a.

Course	Ch. Sh.	Remarks
N 25 E	3.31	
N 21 E	2.40	
N 16 E	2.30	
N 26 E	1.94	to port in line between Sec. 22 & 27
N 26 E	2.92	In Sec. 22
N 13 E	4.00	January 31. 1829
N 18 W	4.00	
N 30 W	3.50	
N 42 W	2.88	
N 67 W	1.33	
N 75 W	1.15	
N 85 W	1.20	
S 72 W	1.50	
S 47 W	4.00	
S 30 W	3.50	
S 14 W	1.50	
S 13 W	1.69	
S 24 W	1.37	to port in line between Sec. 22 & 27
S 32 W	2.11	In Sec. 27
S 41 W	3.00	
S 51 W	4.00	
S 55 W	4.00	
S 78 W	3.50	lower end of Island
S 80 W	2.00	
S 78 W	4.00	
S 82 W	4.00	
S 80 W	4.69	at 1.00 Ch. upper end of Island
S 77 W	2.84	
S 83 W	3.39	to port in line between Sec. 27 & 28
S 85 W	4.36	In Sec. 28
S 75 W	3.15	
West	5.60	
N 87 W	3.88	

T. 26 N., R. 3 W. 2. Mer. Ind. a

Courses & Ch. & Ch.

Remarks

N 67° W 5.00

N 58° W 4.00

N 47° W 7.34

N 30° W 4.74 to port in line between Sec. 21 & 28

N 15° W 2.82 In Sec. 21

N 5° W 2.50

N 11° E 2.40

N 9° E 6.50

N 19° E 2.25

N 40° E 2.59

N 46° E 2.25

N 65° E 3.69

N 77° E 7.00

N 85° E 6.28

N 75° E 1.77

N 71° E 2.50

N 67° E 3.50

N 47° E 2.44

N 26° E 3.76 to port in line between Sec. 21 & 22
at 1.50 Ch. lower end of Island

N 18° E 3.00 In Sec. 22 - upper end of Island

N 7° E 4.50

N 17° E 3.00

N 35° E 2.77

N 42° E 3.80

N 65° E 2.91

N 86° E 3.58

N 80° E 3.50

N 87° E 2.11

N 85° E 2.29

N 71° E 2.50

N 34° E 1.00

N 2° E 1.25

N 25° W 1.43

T. 26 N., R. 34 W. 2. Mer. Ind^u

Comer	Ch. Ch.	Remarks
N45 ^u W	1.43	
N65 ^u W	1.17	
N42 ^u W	2.21	
West	2.50	
S78 ^u W	2.11	
S82 ^u W	4.75	
N69 ^u W	3.37	
N45 ^u W	7.00	
N44 ^u W	3.02	to port in line between Sec. 21 & 22
N26 ^u W	3.00	In Sec. 21 - at 1.50 Ch. a Stream 15 W. wide
N6 ^u W	3.50	
N3 ^u E	11.30	
N9 ^u W	2.11	to port in line between Sec. 16 & 21
N9 ^u W	3.56	In Sec. 16
N33 ^u W	5.81	
N60 ^u W	2.69	
N66 ^u W	12.85	
N69 ^u W	1.83	
N61 ^u W	2.52	
N52 ^u W	3.64	
N38 ^u W	4.00	
N15 ^u W	8.67	
N3 ^u W	3.62	
N10 ^u E	7.68	
N26 ^u E	2.13	
N47 ^u E	1.00	
N60 ^u E	3.67	
N62 ^u E	3.00	
N52 ^u E	3.12	
N37 ^u E	3.62	
N28 ^u E	6.58	
N15 ^u E	3.00	
North	3.35	
N12 ^u W	3.75	

T. 26 N., R. 37 W. 2. Mer. Ind.?

Corners Ck. Lk.

Remarks

N99W 5.50

N109W 3.12

N206W 3.15

N229W 1.00 to post in line between Sec. 9 & 10

N119W 3.41 In Sec. 9

N29W 2.50

N14E 2.25

N5E 6.00

N22E 3.34

N36E 5.81

N39E 3.88

N64E 9.10

N73E 2.50 to post in line between Sec. 9 & 10

N76E 3.00 In Sec. 10

N81E 4.62

N86E 2.92

N61E 8.71 at 2.00 cks, lower end of Island

N76E 5.31 at 2.00 " upper " " Do

N59E 1.50

N45E 1.50

N40E 8.00

N26E 1.30

N73E 1.87

N6th 2.91

N219W 2.00

N429W 2.82

N489W 4.26

N579W 2.70

N659W 3.28

N769W 6.34

N689W 6.20

N749W 8.85 to post in line between Sec. 9 & 10

N629W 2.50 In Sec. 9

T. H. N., R. 3 W. 2. Mer. Ind.

Course Chr. Chr.	Remarks	
N63W 3.50		
N51W 2.22		
N45W 2.58		
N37W 5.50		
N14W 3.27	to port in line between Sec. 4 & 9	
N4E 2.27	In Sec. 4	
N11E 2.91		
N7E 6.42		
N13E 2.00	lower end of Island	
N18W 3.08		
N20E 3.41	at 3.00 Chr. upper end of Island	
N22E 22.43		
N8E 2.10		
N27E 3.30		
N33E 1.76	to port in line between Sec. 3 & 4	
N29E 1.50	In Sec. 3	
N34E 7.75		
N31E 4.37		
N46E 1.88		
N36E 5.44		
N29E 3.63		
N39E 2.55		
N50E 5.10		
N61E 7.00		
N42E 2.77		
N30E 3.28	to port in N. Boundary.	
	at 2.00 Chr. lower end of the cluster of Islands	
	February 1. 1829	
	Commencing at port in N. Boundary and on left bank of river, thence said bank down stream	
N45W 10.13	In Sec. 3 - at 5.00 Chr. lower end of	
N58W 2.50	{ cluster of Islands	

T. 26 N., R. 3 W. 2. Mer. Ind. a

Courses	Chr. Chr.	Remarks
S 48 W	13.68	
S 40 W	14.75	
S 27 W	16.14	
S 21 W	1.90	to port in line between Sec. 3 & 4
S 24 W	15.25	In Sec. 4
S 15 W	3.00	upper end of Island
S 11 W	7.61	at 6.00 Chr. lower end of Island
S 14 W	2.76	
S 6 W	4.33	
S 4 E	2.93	to port in line between Sec. 4 & 9
S 10 E	2.35	In Sec. 9
S 32 E	3.27	
S 51 E	3.24	
S 38 E	4.00	
S 71 E	4.56	to port in line between Sec. 9 & 10
S 71 E	4.00	In Sec. 10
S 76 E	3.33	
S 89 E	3.81	
S 72 E	1.78	
S 39 E	4.40	
S 72 E	9.81	
S 57 E	3.82	
S 46 E	5.26	
S 27 E	4.00	
S 10 E	4.31	
S 5 W	4.50	
S 38 W	5.24	
S 43 W	6.37	
S 33 W	3.08	
S 36 W	3.43	at 2.00 Chr. upper end of Island
S 53 W	3.76	
S 72 W	2.59	
S 61 W	8.00	at 3.50 Chr. lower end of Island

T. 26 N., R. 37 W. S. Mer. Ind. a

Census Ctr. Sta.

Remarks

S719N 6.32

S619N 2.31 to post in line between Sec. 9 & 10

S659N 7.07 In Sec. 9

S639N 2.79

S569N 1.86

S449N 2.57

S359N 3.12

S129N 6.25

S9E 5.80

S18E 2.32 to post in line between Sec. 9 & 16

S14E 5.00 In Sec. 16

S30E 1.94

S11E 3.90

S22E 3.00

S12E 4.15

S29N 3.19

S189N 3.11

S319N 13.00

S549N 5.50

S509N 4.65

S249N 3.75

S99N 1.90

S7E 1.60

S21E 2.75

S34E 3.54

S43E 4.00

S31E 2.14

S44E 3.95

S56E 2.89

S65E 7.00

S69E 3.00

S52E 2.71

S41E 4.04 to post in line between Sec. 15 & 16

T. 20 N., R. 3 W. 2. Mer. Ind. a

Bearings	Ch. Lk.	Remarks
S27E	5.00	In Sec. 15
S89W	6.37	
S18E	4.22	
S27E	3.00	
S33E	3.25	
S50E	2.25	
S68E	2.00	
N86E	3.45	
N79E	6.33	
S65E	3.43	
S44E	4.34	a 3.70 lch. a stream 10 lch. wide
S21E	1.74	
S9E	2.70	
S16W	1.50	
S33W	2.67	
S52W	2.67	
S83W	3.58	
West	5.30	
S71W	2.31	
S61W	4.24	
S42W	2.81	
S29W	1.44	
S49W	3.19	
S10E	1.64	February 3 ^d 1829
S30E	3.06	at 1.00 lch. upper end of Island
S16W	1.40	
S42W	2.50	
S50W	6.26	at 3.50 lch. lower end of Island to post in line between Secs. 21 & 22

S64W	4.69	In Sec. 21
S69W	3.25	
S82W	7.07	
S87W	3.04	
S70W	4.69	
S61W	2.13	

T. 26 N., R. 37 W. 2. Mer. Ind. a.

Barometer	Ch. Pk.	Remarks
S509W	3.36	
S399W	2.29	
S189W	2.53	
S39W	5.05	
S10E	2.00	
S29E	1.12	to post in line between Sec. 21 & 28
S35E	3.52	In Sec. 28
S48E	1.57	
S57E	4.04	
S53E	3.39	
S69E	1.50	
S75E	5.25	
N87E	2.18	
N79E	8.43	
N81E	4.12	to post in line between Sec. 27 & 28
N81E	5.47	In Sec. 27
N63E	4.00	upper end of Island
N59E	3.17	
N76E	3.04	
S84E	2.58	
S72E	2.37	
N82E	1.63	
N63E	3.33	
N53E	2.69	
N49E	1.50	to post in line between Sec. 22 & 27
N34E	4.23	In Sec. 22
N12E	1.38	
North	2.55	
N99W	2.63	
N24E	1.90	
N45E	8.41	
N62E	4.00	
N87E	3.00	

T. 26 N., R. 3 W. 2. Mer. Ind. 4

Course	Ck. Lk.	Remarks
S43E	5.00	
S55E	3.00	
S44E	3.00	
S27E	3.81	
S17E	2.35	
S11E	3.00	
S39W	2.27	
S19W	5.50	to port in line between Sec. 22 & 27
S19W	5.00	In Sec. 27 - at 50 lbs. upper end of Island
S59W	2.30	at 1.00 lb. lower end of Island
S27W	8.26	
S40W	5.14	
S30W	6.19	
S29W	2.71	
S41W	2.09	
S52W	5.76	upper end of Island
S60W	2.93	
S70W	23.57	at 4.00 lbs. lower end of Island
S68W	7.06	
S63W	2.84	
S65W	2.12	to port in line between Sec. 27 & 28
S38W	15.15	In Sec. 28
S20W	6.89	
S8W	8.41	
South	6.90	to port in line between Sec. 28 & 33
S15E	2.00	In Sec. 33
S36E	3.14	
S51E	8.55	
S35E	5.44	
S32E	1.25	to port in line between Sec. 33 & 34
S32E	1.70	In Sec. 34
S34E	4.05	

T. 26 N., R. 34 W. 2. Mer. Ind. a

Course Ch. Ch.

Remarks

S 26 E 10.85

S 10 E 11.00

S 11 W 7.44

S 26 W 6.14

S 71 W 5.72 to post in line between Sect. 33 & 34.

S 64 W 2.75 In Sec. 33

S 44 W 5.18

S 18 W 5.88

S 25 W 6.07

S 10 W 3.43

S 5 W 3.50

S 21 E 3.22

S 30 E 1.60 To post in S. Boundary
February 4. 1829

Pursuant to a contract dated 15th day of August 1828, and instructions from Edward Tiffin Surveyor General of the United States, I have surveyed and subdivided into sections the above township in the State of Indiana, described in said contract, and I certify that the foregoing are correct and true field notes of the lines which they purport to be as a part of said contract.

Certified this 31st day of March
1829

David Willis
Dep. Surveyor.

I certify that the foregoing transcript of
Field Notes of the survey of Township N. 26
North, in Range N. 3 West of the 2^d Princip-
al Meridian, in the State of Indiana, has
been compared with the original on file in
this office, and found to be correct.

Surveyor General's Office,
Cincinnati, Oct. 19. 1842 }

William Johnston
Sur. Genl.